

AMENDMENTS

Listing of Claims:

The following listing of claims replaces all previous listings or versions thereof:

1. (Currently Amended) A storage system for storage of a biological sample for analysis, said system comprising:

a filter paper card for retaining the biological sample, said card having an upper face and a lower face;

a platform having an upper surface, a lower surface and a recess through said upper and lower surfaces, said recess being configured to allow access to both faces of said card when said card is in said platform; and

a container including a compartment comprising walls defining an opening, wherein the opening is covered by a door coupled to said container; and wherein

said opening is adapted to receive said platform, said platform door movable between a closed position wherein said platform sample is sealed within the compartment from the surrounding area outside the compartment, and an open position wherein said platform sample is exposed, and wherein said platform is configured to be only partially withdrawn from said container.

2. (Previously presented) The storage system of claim 1, further comprising a testing apparatus having mechanical extensions for partially withdrawing said platform from said container.

3. (Cancelled)

4. (Currently Amended) The storage system of claim 1, wherein said platform is adapted to be lockably secured secured in place within the container.

5. (Previously presented) The storage system of claim 1, further comprising a closure for sealing said compartment and a locking mechanism whereby the closure is manually inoperable after locking.

6. (Previously presented) The storage system of claim 1, further comprising an identifier located inside the container for identifying the sample, said identifier being visible when viewed from outside said container.

7. (Previously presented) The storage system of claim 6, wherein the sample identifier includes a barcode.

8. (Previously presented) The storage system of claim 1, further comprising a sampling device, wherein said sampling device includes at least one extension adapted to interdigitate with said platform to prevent said platform from being completely withdrawn from the container.

9. (Previously presented) The storage system of claim 1, further comprising an electronic memory to record the number of times the sample has been accessed.

10. (Previously presented) The storage system of claim 9, wherein the electronic memory is adapted to record the time and date of each accession.

11. (Currently amended) A storage system for storage of a biological sample for analysis, wherein said system comprises:

a filter paper card; and

a container comprising: a body defining a compartment for storage of said sample, wherein said compartment comprises walls defining an opening and the opening is covered by a door coupled to said container; and

a platform having a recess adapted to receive said filter paper card for retaining the sample, which platform is slidably received within the compartment and said door is slidably movable between a closed position wherein said platform sample is sealed within the compartment from the surrounding area outside the compartment, and an open position wherein said platform sample is exposed, and wherein said platform is configured to be only partially withdrawn from said container.

12. (Previously Presented) The storage system of claim 11, said platform comprises at least one indentation for securing the platform within the compartment.

13. (Previously presented) The storage system of claim 12, in combination with a testing apparatus having mechanical extensions for partially withdrawing said platform from said container, said extensions being adapted to engage said at least one indentation of said platform.

14. (Previously presented) The storage system and testing apparatus combination of claim 13, wherein said testing apparatus includes a scanner for identifying the sample.

15. (Cancelled)

16. (Previously presented) The storage system of claim 11, further comprising a sampling device, wherein said sampling device includes at least one extension adapted to interdigitate with said platform to prevent said platform from being completely withdrawn from the container.

17. (Cancelled)

18. (Previously presented) The storage system of claim 11, wherein said platform may be lockably secured in place within the container.

19. (Cancelled)

20. (Previously presented) The storage system of claim 11, further comprising an identifier located inside the container for identifying the sample, said identifier being visible when viewed from outside said container.

21. (Previously presented) The storage system of claim 20, wherein the sample identifier includes a barcode.

22. (Previously presented) The storage system of claim 11, further comprising an electronic memory to record the number of times the sample has been accessed.

23. (Currently amended) The storage system of claim 22, wherein said electronic memory is adapted to record the time and date of each accession.

24.-27. (Cancelled)

28. (Currently amended) A storage system for storage of a biological sample for analysis, said system comprising:

a filter paper card for retaining the sample; and

a container comprising:

a frame having a recess adapted to receive the filter paper card for retaining the sample, said frame including at least one indentation; and

a body defining a compartment for storage of said frame, said body having walls defining an access opening for permitting movement of a portion of said frame into and out of said body, said access opening covered by a door coupled to said container;

said body including at least one aperture for accessing said at least one indentation of said frame to facilitate movement of said frame relative to said body, said ~~frame door~~ door being movable between a closed position wherein said platform sample is sealed within the compartment from the surrounding area outside the compartment, and an open position wherein said platform sample is exposed, and wherein said frame is configured to be only partially withdrawn from said container.

29. (Previously Presented) The system of claim 28, wherein said at least one indentation is a socket configured to receive a mechanical extension from an automated testing apparatus.

30. (Previously Presented) The system of claim 28, wherein said card has an upper face and a lower face, said recess being configured to allow access to both faces of the card when the card is in said frame.

31. (Cancelled)

32. (New) The storage system of claim 1 wherein said door is pivotally coupled to said container.

33. (New) The storage system of claim 11 wherein said door is pivotally coupled to said container.

34. (New) The storage system of claim 28 wherein said door is pivotally coupled to said container.